



QUALIFICATIONS PACK - OCCUPATIONAL STANDARDS FOR RUBBER INDUSTRY

What are Occupational Standards(OS)?

OS describe what individuals need to do, know and understand in order to carry out a particular job role or function

OS are performance standards that individuals must achieve when carrying out functions in the workplace, together with specifications of the underpinning knowledge and understanding

Contact Us:

PHD House (4th Floor), Opp. Asian Games Village, Siri Fort Institutional Area, New Delhi -110016 PH: 011-41009347/48 E-mail: info@rsdcindia.in





Contents

1.	Introduction and Contacts1
2.	Qualifications Pack2
3.	Glossary of Key Terms3
1.	OS Units4
	OS Units4 Annexure: Nomenclature for QP & OS50
5.	

Introduction

Qualifications Pack- Pneumatic Tyre Moulding Operator

SECTOR: RUBBER INDUSTRY

SUB-SECTOR: Tyre

OCCUPATION: Moulding/ Curing

REFERENCE ID: RSC/Q0211

ALIGNED TO: NCO-2015/8141.1800

Brief Job Description: The pneumatic tyre moulding operator is responsible for loading a green tyre in a curing press fitted with proper tyre mould, operate the press to cure/vulcanize the tyre, extract the cured tyre from mould. Press, inspect and place the tyre on PCI ring for cooling under specified air pressure .

Personal Attributes: This job requires the individual to work independently and be comfortable in performing laborious work. He should be result oriented and positive in attitude. The individual must be willing to work in the factory environment.



Job Details

Qualifications Pack for Pneumatic Tyre Moulding Operator



Qualifications Pack Code		RSC/Q0211	
Job Role	Pneumatic Tyre Moulding Operator		
Credits(NSQF)	TBD	Version number	1.0
Sector	Rubber	Drafted on	29/04/2016
Sub-sector	Tyre	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021
NSQC Clearance on			

Job Role	Pneumatic Tyre Moulding Operator
Role Description	The pneumatic tyre moulding operator is responsible for loading a green tyre in a curing press fitted with proper tyre mould, operate the press to cure/vulcanize the tyre, extract the cured tyre from mould. Press, inspect and place the tyre on PCI ring for cooling under specified air pressure.
NSQF level	4
Minimum Educational Qualifications*	Class VIII th Pass
Maximum Educational Qualifications*	
Prerequisite License or Training	NA
Minimum Job Entry Age	18 years
Experience	The employee has worked as a semi-skilled helper for minimum 6 months. (Preferred)
Applicable National Occupational	Compulsory:
Standards (NOS)	1. <u>RSC/N1101 - Prepare pneumatic tyre moulding machine</u>
	2. <u>RSC/N1102 - Perform pneumatic tyre moulding operation</u>
	3. <u>RSC/N1103 - Perform post - pneumatic tyre moulding operation</u>
	activities 4. <u>RSC/N5001 - Carry out housekeeping in rubber product</u>
	manufacturing
	5. RSC/N5002 - Carry out reporting and documentation
	6. RSC/N5003 - Carry out quality checks
	7. RSC/N5004 - Carry out problem identification and escalation
Performance Criteria	As described in the relevant OS units





Keywords /Terms	Description
Sector	Sector is a conglomeration of different business operations having similar businesses and interests. It may also be defined as a distinct subset of the economy whose components share similar characteristics and interests.
Sub-sector	Sub-sector is derived from a further breakdown based on the characteristics and interests of its components.
Occupation	Occupation is a set of job roles, which perform similar/related set of functions in an industry.
Job Role	Job role defines a unique set of functions that together form a unique employment opportunity in an organization.
Occupational Standards (OS)	OS specify the standards of performance an individual must achieve when carrying out a function in the workplace, together with the knowledge and understanding they need to meet that standard consistently. Occupational Standards are applicable both in the Indian and global contexts.
Performance Criteria	Performance Criteria are statements that together specify the standard of performance required when carrying out a task.
National Occupational Standards (NOS)	NOS are Occupational Standards which apply uniquely in the Indian context.
Qualifications Pack	Qualifications Pack comprises the set of OS, together with the educational, training and other criteria required to perform a job role. A Qualifications Pack is assigned a unique qualification pack code.
Electives	Electives are NOS/set of NOS that are identified by the sector as contributive to specialization in a job role. There may be multiple electives within a QP for each specialized job role. Trainees must select at least one elective for the successful completion of a QP with Electives.
Options	Options are NOS/set of NOS that are identified by the sector as additional skills. There may be multiple options within a QP. It is not mandatory to select any of the options to complete a QP with Options.
Unit Code	Unit Code is a unique identifier for an Occupational Standard , which is denoted by an 'N'.
Unit Title	Unit Title gives a clear overall statement about what the incumbent should be able to do.
Description	Description gives a short summary of the unit content. This would be helpful to anyone searching on a database to verify that this is the appropriate OS they are looking for.
Scope	Scope is a set of statements specifying the range of variables that an individual may have to deal with in carrying out the function which have a critical impact on quality of performance required.
Knowledge and Understanding	Knowledge and Understanding are statements which together specify the technical, generic, professional and organizational specific knowledge that an individual needs in order to perform to the required standard.
Organizational Context	Organizational Context includes the way the organization is structured and how it operates, including the extent of operative knowledge managers have of their relevant areas of responsibility.
Technical Knowledge	Technical Knowledge is the specific knowledge needed to accomplish specific designated responsibilities.
Core Skills or Generic Skills	Core Skills or Generic Skills are a group of skills that are key to learning and working in today's world. These skills are typically needed in any work environment. In the context of the OS, these include communication related skills that are applicable to most job roles.





National Occupational Standard



Overview

This unit is about preparing the tyre curing press and green tyre for moulding operation.





Prepare pneumatic tyre moulding machine



RSC/N1101

Unit Code	RSC/N1101
Unit Title	Dronaro proumatic turo moulding machine
(Task)	Prepare pneumatic tyre moulding machine
Description	This unit is about preparing the tyre curing press and green tyre for moulding / curing
	operation
Scope	This unit/task covers the following:
	Prepare the tyre moulding press, equipments and mould
	 Preparing the green tyre and collect raw material for moulding operation
	J Ensure housekeeping and safety in work area
Performance Criteria	(PC) w.r.t. the Scope
Element	Criteria
Equipment readiness	To be competent, the user/individual on the job must be able to
	PC1. Ensure that press is clean
	PC2. Blow air to remove any condensate and foreign matter in the mould cavity
	PC3. Ensure that the correct mould is loaded
	PC4. Set parameters for the Bag-O-Matic /airbag type Presses (press timer, steam
	pressure and cure cycle steps), as per job card
	PC5. Apply mould release agent appropriately
	PC6. Warm up the press
	PC7. Follow equipment preparation process as per company requirements
	PC8. Ensure that no delays are caused as a result of improper preparation and
	failure to identify problems
	PC9. Ensure the mainline gauges and pressures are as per specification
	PC10. Ensure the calibration status of all measuring equipment and instruments and fit to use per quality standards followed by the plant
Raw material	PC11. Collect all green tyres required for the batch
appropriateness	PC12. Ensure painting of green tyre paintings at inner and outer (if any) has been
appropriateneos	done properly with no puddles .
	PC13. Match the batch code of each green tyre with the batch code on the job
	schedule given by the planning department
	PC14. Ensure that each material is in the correct quantity
	PC15. Ensure, by visual inspection, that green tyre is of desired quality (free of
	contamination etc.)
	PC16. Ensure that no delays are caused as a result of improper preparation and
	failure to identify problems
Housekeeping &	PC17. Ensure housekeeping in moulding area
Safety	PC18. Use hand gloves while working on the moulding press to avoid contact with hot
	moulds
	PC19. Ensure that he does not put his hand inside the press while the press is closing
	PC20. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)
	PC21. Comply with health, safety, environment guidelines, regulations etc in
	accordance with organizational SOP





Prepare pneumatic tyre moulding machine



A. Organizational	To be competent, the user/individual on the job must be able to
Context	
(Knowledge of the	KA1. Operation of Tyre curing Press , both BOM and Platen type
company /	KA2. Implications of poorly prepared equipment, power failure etc
organization and	KA3. Importance of identifying non-conforming material and storage of the same
its processes)	KA4. Risk and impact of not following defined procedures/work instructions
	KA5. Escalation matrix for reporting identified problems
	KA6. Types of documentation in organization and importance of the same
	KA7. Records to be maintained and implications of non-maintenance of the same
	KA8. Importance of housekeeping & good shopfloor practices
	KA9. Health, Safety and Environment guidelines, legislation and regulations as applicable
	KA10. Impact of poor practices on health, safety and environment
	KA11. Potential hazards and actions to minimize the same
	KA12. Escalation matrix and escalation procedure for reporting hazards
B. Technical	To be competent, the user/individual on the job must be able to
Knowledge	
	KB1. Handling of the Bag-O-Matic Press
	KB2. Implications of not adhering to sequence of activities and operations
	KB3. Implications of delays in preparation process
	KB4. Types of defects leading to rejections.
	KB5. Potential problems in preparation process
	KB6. Indicators and reasons of potential problems
	KB7. Appropriate solutions to the problems encountered
	KB8. Cleanliness and safety requirements for commencing a pneumatic tyre
	moulding operation
	KB9. Units of measurement
	KB10. Response to emergencies e.g. Power failures , fire and system failures
	KB11. The use of different type of fire extinguishers
Skills (S)	
A. Core Skills/	Writing Skills
Generic Skills	To be competent, the user/individual on the job must be able to
	SA1. Construct simple sentences and express ideas clearly through written
	communication
	SA2. Fill up appropriate technical forms, process charts, activity logs in required
	format of the company
	SA3. Write simple letters, mails, etc
	SA4. Perform functional mathematical operations, including apply basic
	mathematical principles, such as numbers and space, and techniques such as
	estimation and approximation, for practical purposes
	Reading Skills SA5. Read and understand manuals, health and safety instructions, memos, reports



NOS National Occupational Standards



Prepare pneumatic tyre moulding machine

RSC/N1101	Prepare pneumatic tyre mouiding machine Transforming the skill landscape
	job cards etc
	SA6. Read images, graphs, diagrams
	SA7. Understand the various coding systems as per company norms
	Oral Communication
	SA8. Express statements, opinions or information clearly so that others can hear and understand
	SA9. Respond appropriately to any queries
	SA10. Communicate with supervisor
	SA11. Communicate with upstream and downstream teams
	SA12. Communicate with people in a form and manner and using language that is
	open and respectful
	Life Skills
	Integrity SA13. Practice honesty with respect to company property and time
	SA13. Fractice nonesty with respect to company property and time SA14. Resolve any difficulties in relationships with colleagues, or get help from an
	appropriate person, in a way that preserves goodwill and trust
	Motivation
	SA15. Take responsibility for completing one's own work assignment
	SA16. Take initiative to enhance/learn skills in ones's area of work
	SA17. The capacity to learn from experience in a range of settings and scenarios and
	the capacity to reflect on and analyse one's learning.
	SA18. Is open to new ways of doing things
	SA19. The capacity to envisage and articulate personal goals; to develop strategies and take action to achieve them.
	Reliability
	SA20. Avoid absenteeism
	SA21. Act objectively, rather than impulsively or emotionally when faced with
	difficult/stressful or emotional situations
	SA22. Work in disciplined factory environment
	SA23. Be punctual
B. Professional Skills	Decision Making
	The user/individual on the job needs to know and understand how to:
	SB1. Take a decision for any change/issue based on earlier successes (documented
	previous history) on similar issues
	SB2. Work out changes in case a new improved machine/equipment is added in the
	process or any new material /chemical is developed replacing existing one.
	SB3. Make changes in cycle time due to improved process.
	SB4. Use the standard operating procedure or trouble shooting manuals for trouble
	shooting and other reference documents approved by plant management
	SB5. Consult the peer group and superiors to arrive at a favourable decision. SB6. Use of standard available problem solving techniques for decision making
	SB7. Review and analyze the process steps to check on system non adherence and







Prepare pneumatic tyre moulding machine

 ranstorming the skill landscape
SB8. Review the current SOP and other standards for continuous improvement to facilitate decision making
SB9. Take a calculated risk with minimum losses
Plan and Organize
SB10. Clean mould cavity properly
SB11. Organize all the required tools at safe location
SB12. Plan work as per schedule
Customer Centricity
The individual needs to know and understand how to:
SB13. Match customer needs/specification by adjusting the processing conditions (interact with customer in case any clarification required)
SB14. Ensure that performance of his action/operation/activity does not lead to any
divergence from the specified quality of the final product as required by the customer.
SB15. Complete the assigned task in timely manner so that the final product is delivered in the timeline given by the customer.
SB16. Communicate effectively to the superior/customer for any delay in supplies to the clients.
SB17. Work towards fulfilling the customers requirement as per their demand.
SB18. In case of any complaint, ensure its timely resolution if the problem is emanating at his level
SB19. Communicate effectively to the superior/customer for any delay in resolving
the problem faced by the customer.
SB20. Maintain good/cordial relation with customers.
SB21. Work on the feedback received from customer regarding the product.
Problem Solving
SB22. Interpret quality of product
SB23. Suggest improvements(if any) in process/product/materials based on results and experience
Analytical Thinking
SB24. Diagnose common problems in the machine based on visual inspection, sound, temperature etc
SB25. Suggest improvements(if any) in process based on experience
Critical Thinking
SB26. Handle equipment safely.
SB27. Apply problem-solving approaches in different situations
SB28. Refer anomalies to the line manager







NOS Version Control

NOS Code	RSC/N1101		
Credits(NSQF)	TBD	Version number	1.0
Industry	Rubber Manufacturing	Drafted on	29/04/2016
Industry Sub-sector	Tyre	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021



Back to QP





National Occupational Standard



Overview

This unit is about performing tyre moulding operation.



DS M National Occupational Standards

Perform pneumatic tyre moulding operation



Unit Code

Unit Code	RSC/N1102	
Unit Title		
(Task)	Perform pneumatic tyre moulding operation	
Description	This unit is about performing tyre moulding operation.	
Scope	This unit/task covers the following:	
	Ensure the appropriateness of raw material	
) Operate the machine/press and remove the cured tyre	
	Ensure housekeeping and safety in work area	
Performance Criteria (PC)	w.r.t. the Scope	
Element	Criteria	
Raw material	To be competent, the user/individual on the job must be able to	
appropriateness		
	PC1. Ensure, by visual inspection, that green tyre is of desired quality	
	(free of contamination, uniformly painted with inside and outside	
	paints and localized in the area where the painting is required etc.)	
	PC2. Ensure that batch size of green tyre is as per specified quantity	
Operations	PC3. Plan batch sequence in shifts based on raw material	
	availability/rejection to maximize output	
	PC4. Check the green tyre – size, ply rating (PR), inner / outer painting	
	etc	
	PC5. Apply mould release agent , as required PC6. Load the "green" tyre in the mould with Center Post in position (
	in case of BOM Press)	
	PC7. Place Serial No., PR strip (if any) in the mould cavity at particular	
	location as the case may be	
	PC8. Switch-on the press for cycle operation and ensure that press	
	starts closing correctly	
	PC9. Ensure that bladder starts blowing simultaneously while press is closing ,thus pressing the tyre on the mould wall (in case of BOM	
	Press)	
	PC10. Ensure that cure cycle has correct low, high , hot water and cold	
	water pressure	
	PC11. Drain steam followed by hot water, hold and then cold water (in	
	case of BOM Press/Nylon Carcass). PC12. In the case of air bag type curing the positioning of tyre is a must	
	to ensure the correct location of airbag valve to facilitate the	
	joining of steam line for filling steam inside airbag .	
	PC13. Ensure that material wastage is within tolerance limits	
	PC14. Ensure that no rework or rejection is generated.	
	PC15. Match the quality of output to company's product requirements	
	PC16. Meet production quantity targets set for the operation PC17. Follow work instructions as laid down by the company	
Housekeeping & Safety	PC18. Avoid skin contact with hot tyres and moulds	
1 0	PC19. Handle the hot tyre coming out of the press appropriately	
	PC20. Ensure that he does not put his hand inside the press while the	
	press is closing	
	PC21. Use hand gloves while working on the moulding press	







	PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)
	PC23. Comply with health, safety, environment guidelines, regulations
	etc in accordance with organizational SOP
Knowledge and Understa	
A. Organizational	To be competent, the user/individual on the job must be able to
Context (Knowledge	
of the company /	KA1. Use of instruments to check dimensions
organization and its	KA2. Implications of poorly prepared material, power failure etc
processes)	KA3. Material disposal procedure, importance of appropriate disposal of material and implications of not following the material disposal procedure
	KA4. Difference between airbag /bag-o-matic type curing
	KA5. Ensured to carry out quality and damage checks
	KA6. Importance of identifying non-conforming products and storage
	KA7. Risk and impact of not following defined procedures/work
	instructions
	KA8. Escalation matrix for reporting identified issues
	KA9. Types of documentation in organization and there importance
	KA10. Records to be maintained and implications of non-maintenance
	KA11. Importance of housekeeping & good shopfloor practices
	KA12. Health, Safety and Environment guidelines, legislation and
	regulations as applicable
	KA13. Impact of poor practices on health, safety and environment
	KA14. Potential hazards and actions to minimize the same
	KA15. Escalation matrix and escalation procedure for reporting hazards
B. Technical	To be competent, the user/individual on the job must be able to
Knowledge	
	KB1. Bag-O-Matic press & its operation(possible setting levels, typical process followed for different batches)
	KB2. Compression moulding operation
	KB3. Handling of steam or electrical heating system
	KB4. State of curing – undercuring and overcuring
	KB5. Tolerance levels for various parameters (temperature, pressure and weight)
	KB6. Cleanliness and safety requirements for operating an moulding
	machine KB7. Troubleshooting for loading/unloading without damaging the
	product
	KB8. Effect of improper processing on properties of rubber product
	KB9. Implications of not adhering to sequence of activities and
	operations KB10. Implications of delays in production process
	KB10. The process and importance of quality check ,including visual
	inspection and dimensional checks
	KB12. Types of defects leading to rejections.
	KB13. Potential problems in the tyre moulding operation







	 KB14. Indicators and reasons of potential problems KB15. Appropriate solutions to the problems encountered KB16. Impact of poor practices on health, safety and environment KB17. Units of measurement KB18. Response to emergencies e.g. Power failures ,fire and system failures KB19. The use of different type of fire extinguishers
Skills (S)	
A. Core Skills/ Generic	Writing Skills
Skills	To be competent, the user/individual on the job must be able to
	SA1. Construct simple sentences and express ideas clearly through written communication
	SA2. Fill up appropriate technical forms, process charts, activity logs in required format of the company
	SA3. Write simple letters, mails, etc
	SA4. Perform functional mathematical operations, including apply basic
	mathematical principles, such as numbers and space, and
	techniques such as estimation and approximation, for practical purposes
	Reading Skills
	SA5. Read and understand manuals, health and safety instructions, memos, reports, job cards etc SA6. Read images, graphs, diagrams
	SA7. Understand the various coding systems as per company norms
	Oral Communication
	SA8. Express statements, opinions or information clearly so that others can hear and understand
	SA9. Respond appropriately to any queries
	SA10. Communicate with supervisor
	SA11. Communicate with upstream and downstream teams
	SA12. Communicate with people in a form and manner and using
	language that is open and respectful
	Life Skills



NOS National Occupational Standards



B. Professional Skills	Integrity SA13. Practice honesty with respect to company property and time SA14. Resolve any difficulties in relationships with colleagues , or get help from an appropriate person, in a way that preserves goodwill and trust Motivation SA15. Take responsibility for completing one's own work assignment SA16. Take initiative to enhance/learn skills in ones's area of work SA17. The capacity to learn from experience in a range of settings and scenarios and the capacity to reflect on and analyse one's learning. SA18. Is open to new ways of doing things SA19. The capacity to envisage and articulate personal goals; to develop strategies and take action to achieve them. Reliability SA20. Avoid absenteeism SA21. Act objectively , rather than impulsively or emotionally when faced with difficult/stressful or emotional situations SA22. Work in disciplined factory environment SA23. Be punctual Decision Making The user/individual on the job needs to know and understand how to: SB1. Take a decision for any change/issue based on earlier successes (documented previous history) on similar issues SB2. Work out changes in case a new improved machine/equipment is added in the process or any new material /chemical is developed replacing existing one. SB3. Make changes in cycle time due to improved process. SB4. Use the standard operating procedure or trouble shooting ma
B. Professional Skills	Decision Making The user/individual on the job needs to know and understand how to: SB1. Take a decision for any change/issue based on earlier successes (documented previous history) on similar issues SB2. Work out changes in case a new improved machine/equipment is added in the process or any new material /chemical is developed replacing existing one. SB3. Make changes in cycle time due to improved process. SB4. Use the standard operating procedure or trouble shooting manuals for trouble shooting and other reference documents approved by plant management SB5. Consult the peer group and superiors to arrive at a favourable decision.
	 SB6. Use of standard available problem solving techniques for decision making SB7. Review and analyze the process steps to check on system non adherence and non conformity SB8. Review the current SOP and other standards for continuous improvement to facilitate decision making SB9. Take a calculated risk with minimum losses Plan and Organize SB10. Load the tyre SB11. Apply mould release agent as per requirement SB12. Report repair and maintenance requirement to the Supervisor







Customer Centricity
SB13. Match customer needs/specification by adjusting the processing conditions (interact with customer in case any clarification required)
SB14. Ensure that performance of his action/operation/activity does not lead to any divergence from the specified quality of the final product as required by the customer.
SB15. Complete the assigned task in timely manner so that the final product is delivered in the timeline given by the customer.
SB16. Communicate effectively to the superior/customer for any delay in supplies to the clients.
SB17. Work towards fulfilling the customers requirement as per their demand.
SB18. In case of any complaint, ensure its timely resolution if the problem is emanating at his level
SB19. Communicate effectively to the superior/customer for any delay in resolving the problem faced by the customer.
SB20. Maintain good/cordial relation with customers.
SB21. Work on the feedback received from customer regarding the product.
Problem Solving
SB22. Interpret quality of product prepared SB23. Suggest improvements(if any) in process/product/materials based on results and experience
Analytical Thinking
SB24. Diagnose common problems in the machine based on visual inspection, sound , temperature etc SB25. Suggest improvements(if any) in process based on experience
Critical Thinking
SB26. Seek clarification on problems from others
SB27. Apply problem-solving approaches in different situations SB28. Refer anomalies to the line manager







NOS Version Control

NOS Code	RSC/N1102		
Credits(NSQF)	TBD	Version number	1.0
Industry	Rubber Manufacturing	Drafted on	29/04/2016
Industry Sub-sector	Tyre Manufacturing	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021



Back to QP





National Occupational Standard



Overview

This unit is about performing post – pneumatic tyre moulding operation activities.







Unit Code	RSC/N1103
Unit Title	
(Task)	Perform post - pneumatic tyre moulding operation activities
Description	This unit is about performing post-tyre moulding operation activities
Scope	This unit/task covers the following:
	J Carry out operation to remove cured tyre
	 Disposal of waste material
	Form appropriate batches and mark the batch for proper identification in further
	processing
) Sampling
	Ensure housekeeping and safety in work area
Performance Criter	ia (PC) w.r.t. the Scope
Element	Criteria
Operations	To be competent, the user/individual on the job must be able to
	PC1. Follow work instructions as laid down by the company
	PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not
	pop up automatically out of the press
	PC3. Roll the tyre and put on PCI Unit, apply air pressure and cool it for specified
	time pressure
	PC4. Remove tyre from PCI rings after required PCI time is over PC5. Inspect tyre for any visual defect
	PC6. Trim the vents and flashes of the tyre if required
	PC7. Handover the equipment to the next operator in clean and good condition
Material disposal	PC8. Dispose off waste material as per waste disposal procedures laid down by the
material aisposal	company
	PC9. Carry out disposal of waste material safely
Batch Marking	PC10. Form batch size as per company specifications
	PC11. Carry out batch marking for the tyres removed out the PCI unit
	PC12. Carry out batch marking as per instructions laid down by the company (in
	terms of weight, colour etc).
Sampling	PC13. Send sample of specified product to lab for testing, if warranted
	PC14. Send sample in specified quantity to lab for testing
	PC15. Send sample in the specified form to lab for testing
	PC16. Send the remaining material to the designated storage area
Housekeeping &	PC17. Ensure housekeeping in moulding area
Safety	PC18. Avoid skin contact with hot tyres and other moulds
	PC19. Handle the hot tyre coming out of the press appropriately
	PC20. Use hand gloves while working on the moulding press
	PC21. Ensure that he does not put his hand inside the press while the press is closing PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)
	r C22. Autiere to all other salety norms (like wearing shoes, gloves, salety goggles etc)







	PC23. Comply with health, safety, environment guidelines, regulations etc in
	accordance with organizational SOP
Knowledge and Under	standing (K)
A. Organizational	To be competent, the user/individual on the job must be able to
Context	
(Knowledge of the	KA1. Implications of poorly prepared equipment, power failure etc
company /	KA2. Material disposal procedure, importance of appropriate disposal of material
organization and	and implications of not following the material disposal procedure
its processes)	KA3. Significance of batch marking
	KA4. Importance of identifying non-conforming product and storage of the same
	KA5. Risk and impact of not following defined procedures/work instructions
	KA6. Escalation matrix and procedure for reporting identified problems
	KA7. Types of documentation in organization and importance of the same
	KA8. Records to be maintained and implications of non-maintenance of the same
	KA9. Importance of housekeeping & good shopfloor practices
	KA10. Health, Safety and Environment guidelines, legislation and regulations as
	applicable
	KA11. Potential hazards and actions to minimize the same
	KA12.Impact of poor practices on health, safety and environment
	KA13. Escalation matrix and procedure for reporting hazards
B. Technical	To be competent, the user/individual on the job must be able to
Knowledge	
	KB1.Implications of not adhering to sequence of activities and operations
	KB2.Batch marking techniques
	KB3.Implications of incorrect batch marking
	KB4.Implications of inappropriate waste disposal
	KB5.Type of defects leading to rejections.
	KB6.Indicators and reasons of problems encountered
	KB7.Units of measurement
	KB8.Colour and colour coding
	KB9.Responding to emergencies e.g. Power failures ,fire and system failures
	KB10. Use of instruments to check dimensions etc
	KB11. The use of different type of fire extinguishers
Skills (S)	
A. Core Skills/	Writing Skills
Generic Skills	To be competent, the user/individual on the job must be able to
	SA1. Construct simple sentences and express ideas clearly through written
	communication
	SA2. Fill up appropriate technical forms, process charts, activity logs in required
	format of the company
	SA3. Write simple letters, mails, etc
	SA4. Perform functional mathematical operations, including apply basic
	mathematical principles, such as numbers and space, and techniques such as







	estimation and approximation, for practical purposes
	Reading Skills
	SA5. Read and understand manuals, health and safety instructions, memos, reports,
	job cards etc
	SA6. Read images, graphs, diagrams
	SA7. Understand the various coding systems as per company norms
	Oral Communication
	SA8. Express statements, opinions or information clearly so that others can hear
	and understand
	SA9. Respond appropriately to any queries
	SA10. Communicate with supervisor
	SA11. Communicate with upstream and downstream teams
	SA12. Communicate with people in a form and manner and using language that is
	open and respectful
	Life Skills
	Integrity
	SA13. Practice honesty with respect to company property and time
	SA14. Resolve any difficulties in relationships with colleagues , or get help from an
	appropriate person, in a way that preserves goodwill and trust
	Motivation
	SA15. Take responsibility for completing one's own work assignment
	SA16. Take initiative to enhance/learn skills in ones's area of work
	SA17. The capacity to learn from experience in a range of settings and scenarios and
	the capacity to reflect on and analyse one's learning.
	SA18. Is open to new ways of doing things
	SA19. The capacity to envisage and articulate personal goals; to develop strategies
	and take action to achieve them.
	Reliability
	SA20. Avoid absenteeism
	SA21. Act objectively, rather than impulsively or emotionally when faced with
	difficult/stressful or emotional situations
	SA22. Work in disciplined factory environment
	SA23. Be punctual
B. Professional Skills	Decision Making
	The user/individual on the job needs to know and understand how to:
	SB1. Take a decision for any change/issue based on earlier successes (documented
	previous history) on similar issues
	SB2. Work out changes in case a new improved machine/equipment is added in the
	process or any new material /chemical is developed replacing existing one.
	SB3. Make changes in cycle time due to improved process.







SB4.	Use the standard operating procedure or trouble shooting manuals for trouble
	shooting and other reference documents approved by plant management
SB5.	Consult the peer group and superiors to arrive at a favourable decision.
SB6.	Use of standard available problem solving techniques for decision making
	Review and analyze the process steps to check on system non adherence and
	non conformity
SB8	Review the current SOP and other standards for continuous improvement to
550.	facilitate decision making
SPO	Take a calculated risk with minimum losses
Plan ar	nd Organize
SB10.	Carry out waste collection in proper way
	Organize moulded tyres
	Plan the maintenance of tools and equipments used
Custon	ner Centricity
The inc	lividual needs to know and understand how to:
SB13	Match customer needs/specification by adjusting the processing conditions
5015.	(interact with customer in case any clarification required)
SB14.	Ensure that performance of his action/operation/activity does not lead to any
2	divergence from the specified quality of the final product as required by the
1	customer.
SB15.	Complete the assigned task in timely manner so that the final product is
8	delivered in the timeline given by the customer.
SB16.	Communicate effectively to the superior/customer for any delay in supplies to the clients.
SB17.	Work towards fulfilling the customers requirement as per their demand.
SB18.	In case of any complaint, ensure its timely resolution if the problem is emanating at his level
SB19.	Communicate effectively to the superior/customer for any delay in resolving
	the problem faced by the customer.
SB20.	Maintain good/cordial relation with customers.
SB21.	Work on the feedback received from customer regarding the product.
Proble	m Solving
SB22.	Interpret quality of prepared products
SB23.	Suggest improvements(if any) in process/product/materials based on results
	and experience
Analyt	cal Thinking
SB24.	Diagnose common problems in the machine based on visual inspection, sound
	, temperature etc
SB25.	Suggest improvements(if any) in process based on experience
Critical	Thinking
SB26.	Seek clarification on problems from others
	Apply problem-solving approaches in different situations
	Refer anomalies to the line manager







NOS Version Control

NOS Code	RSC/N1103		
Credits(NSQF)	TBD	Version number	1.0
Industry	Rubber Manufacturing	Drafted on	29/04/2016
Industry Sub-sector	Tyre	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021



Back to QP





National Occupational Standard



Overview

This unit is about carrying out housekeeping







RSC/N5001

Carry out housekeeping in rubber product manufacturing

	Unit Code	RSC/N5001		
Unit Title (Task) Carry out housekeeping in rubber p		Carry out housekeeping in rubber product manufacturing		
	Description	This unit is about carrying out housekeeping activities		
	Scope	This unit/task covers the following:		
		 Preparing for housekeeping activities Carry out housekeeping activities Post housekeeping activities 		
	Performance Criteria (F	PC) w.r.t. the Scope		
	Element	Performance Criteria		
	Pre housekeeping activities	To be competent, the user/individual on the job must be able to		
		 PC1. Inspect the area while taking into account various surfaces PC2. Identify the material requirements for cleaning the areas inspected, by considering risk, time, efficiency and type of stain PC3. Ensure that the cleaning equipment is in proper working condition PC4. Select the suitable alternatives for cleaning the areas in case the appropriate equipment and materials are not available and inform the appropriate person PC5. Plan the sequence for cleaning the area to avoid re-soiling clean areas and surfaces PC6. Inform the affected people about the cleaning activity PC7. Display the appropriate signage for the work being conducted PC8. Ensure that there is adequate ventilation for the work being carried out PC9. Wear the personal protective equipment required for the cleaning method and materials being used 		
	Carry out	PC10. Use the correct cleaning method for the work area, type of soiling and surface		
	housekeeping	PC11. Carry out cleaning activity without disturbing others		
	activities	 PC12. Deal with accidental damage, if any, caused while carrying out the work PC13. Report to the appropriate person any difficulties in carrying out your work PC14. Identify and report to the appropriate person any additional cleaning required that is outside one's responsibility or skill 		







RUBBER SKILL DEVELOPMENT COUNCIL	National Occupational Standards 7 Corporation
RSC/N5001	Carry out housekeeping in rubber product manufacturing Transforming the skill landscape
Post housekeeping	PC15. Ensure that there is no oily substance on the floor to avoid slippage
activities	PC16. Ensure that no scrap material is lying around
	PC17. Maintain and store housekeeping equipment and supplies
	PC18. Follow workplace procedures to deal with any accidental damage caused
	during the cleaning process
	PC19. Ensure that, on completion of the work, the area is left clean and dry and
	meets requirements
	PC20. Return the equipment, materials and personal protective equipment that were
	used to the right places making sure they are clean, safe and securely stored
	PC21. Dispose the waste garnered from the activity in an appropriate manner
	PC22. Dispose of used and un-used solutions according to manufacturer's
	instructions, and clean the equipment thoroughly
	PC23. Maintain schedules and records for housekeeping duty
	PC24. Replenish any necessary supplies or consumables
Knowledge and Under	standing (K)
A. Organizational	To be competent, the user/individual on the job must be able to
Context	
(Knowledge of the	KA1. Importance of learning proper procedures and techniques
company /	KA2. Implications of not following the organizational requirement for approval for
organization and	undertaking the specific task 💿 🍥
its processes)	KA3. Importance of completing the activities as per the schedule
	KA4. Implications of not following the defined procedures/work instructions
	KA5. Importance of team work
	KA6. Health, Safety and Environment guidelines, legislation and regulations as applicable
	KA7. Actions to be taken in case of non-conformity to behavioral standards of the
	organization
	KA8. Impact of poor practices on the individual's and organization's performance
	KA9. Importance of optimal utilization of resources
	KA10. Importance of providing feedback for improvement
	KA11. Importance of indigenous knowledge for evolving/adopting operation specific
	practices
	KA12. Rectification/solution of problems/conflicts for the smooth functioning of the
	organization
	KA13.Importance of documentation/reporting as per guidelines and procedures
	KA14. Knowledge of do's and don'ts (company's HR instructions)
	KA15. Importance of attending trouble shooting
	KA16. Importance of subject learning/ training
	KA17. Importance of Product and its application
B. Technical Knowledge	To be competent, the user/individual on the job must be able to
	KB1. The levels of hygiene required by workplace and why it is important to
	maintain them during your work







RSC/N5001	Carry out housekeeping in rubber product manufacturing
	KB2. How to inspect a work area to decide what cleaning it needs
	KB3. Methods and materials that used for cleaning variety of surfaces
	KB4. The types of cleansing agents that are not to be mixed together
	KB5. The correct method for cleaning equipment and/or machinery used during
	your work
	KB6. The importance of personal protective equipment
	KB7. Appropriate personal protective equipment for the work area, cleaning
	equipment, tools, materials and chemicals used
	KB8. The correct sequence for cleaning the work area
	KB9. The time taken by the treatment to work
	KB10. The importance of following manufacturer's instructions on cleaning agents
	KB11. The most appropriate place to carry out test cleans and why this should be
	done before applying treatments
	KB12. The importance of applying treatments evenly and the effect of not doing this
	KB13. Process of cleaning the surfaces without causing injury or damage
	KB14. The method to check the treated surface and equipment on completion of
	cleaning
	KB15. Procedures for reporting any unidentified soiling
	KB16. Procedures for disposing off waste
	KB17. Procedures for disposing off or storing personal protective equipment
	KB18. Escalation procedures for soils or stains that could not be removed
Skills (S)	
A. Core Skills/	Writing Skills
Generic Skills	To be competent, the user/individual on the job must be able to
	To be competent, the user/individual on the job must be usie to
	SA1. Construct simple sentences and express ideas clearly through written
	communication
	SA2. Fill up appropriate technical forms, process charts, activity logs in required
	format of the company
	SA3. Write simple letters, mails, etc
	SA4. Perform functional mathematical operations, including apply basic
	mathematical principles, such as numbers and space, and techniques such as
	estimation and approximation, for practical purposes
	Reading Skills
	SA5. Read and understand manuals, health and safety instructions, memos, reports,
	job cards etc
	SA6. Read images, graphs, diagrams
	SA7. Understand the various coding systems as per company norms
	Oral Communication





Carry out housekeeping in rubber product manufacturing



SA8. Express statements, opinions or information clearly so that others can hear and understand SA9. Respond appropriately to any queries SA10. Communicate with supervisor SA11. Communicate with upstream and downstream teams SA12. Communicate with people in a form and manner and using language that is open and respectful Life Skills Integrity SA13. Practice honesty with respect to company property and time SA14. Resolve any difficulties in relationships with colleagues, or get help from an appropriate person, in a way that preserves goodwill and trust **Motivation** SA15. Take responsibility for completing one's own work assignment SA16. Take initiative to enhance/learn skills in ones's area of work SA17. The capacity to learn from experience in a range of settings and scenarios and the capacity to reflect on and analyse one's learning. SA18. Is open to new ways of doing things SA19. The capacity to envisage and articulate personal goals; to develop strategies and take action to achieve them. Reliability SA20. Avoid absenteeism SA21. Act objectively, rather than impulsively or emotionally when faced with difficult/stressful or emotional situations SA22. Work in disciplined factory environment SA23. Be punctual **Decision Making B.** Professional Skills The user/individual on the job needs to know and understand how to: SB1. Take a decision for any change/issue based on earlier successes (documented previous history) on similar issues SB2. Work out changes in case a new improved machine/equipment is added in the process or any new material /chemical is developed replacing existing one. SB3. Make changes in cycle time due to improved process. SB4. Use the standard operating procedure or trouble shooting manuals for trouble shooting and other reference documents approved by plant management SB5. Consult the peer group and superiors to arrive at a favourable decision. SB6. Use of standard available problem solving techniques for decision making SB7. Review and analyze the process steps to check on system non adherence and non conformity SB8. Review the current SOP and other standards for continuous improvement to







National Occupational Standards

RSC/N5001	Carry out housekeeping in rubber product manufacturing Transforming the skill landscape
	facilitate decision making
	SB9. Take a calculated risk with minimum losses
	Plan and Organize
	SB10. Plan and organize the factors of production to execute the business plan
	SB11. Fix up tasks and allotment of the same
	SB12. Assign tasks to suitable persons
	SB13. Motivate them for better output and time bound completion of tasks Customer Centricity
	The individual needs to know and understand how to:
	SB14. Match customer needs/specification by adjusting the processing conditions (interact with customer in case any clarification required)
	SB15. Ensure that performance of his action/operation/activity does not lead to any divergence from the specified quality of the final product as required by the customer.
	SB16. Complete the assigned task in timely manner so that the final product is delivered in the timeline given by the customer.
	SB17. Communicate effectively to the superior/customer for any delay in supplies to the clients.
	SB18. Work towards fulfilling the customers requirement as per their demand. SB19. In case of any complaint, ensure its timely resolution if the problem is
	emanating at his level SB20. Communicate effectively to the superior/customer for any delay in resolving the problem faced by the customer.
	SB21. Maintain good/cordial relation with customers.
	SB22. Work on the feedback received from customer regarding the product.
	Problem Solving
	SB23. Interpret quality for sheet
	SB24. Suggest improvements(if any) in process/product/materials based on results
	and experience Analytical Thinking
	CD25. Drener collection of waste material
	SB25. Proper collection of waste material SB26. Identify defects in the material and communicate it at the earliest and suggest
	improvements(if any) in process/material based on experience
	Critical Thinking
	SB27. Seek clarification on problems from others
	SB28. Apply problem-solving approaches in different situations
	SB29. Refer anomalies to the line manager







Carry out housekeeping in rubber product manufacturing

NOS Version Control

NOS Code	RSC/N5001		
Credits(NSQF)	TBD	Version number	1.0
Industry	Rubber Manufacturing	Drafted on	29/04/2016
Industry Sub-sector	Tyre and Non- tyre	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021



Back to QP







National Occupational Standard



Overview

This unit is about reporting and documentation



NOS National Occupational Standards



Unit Code	RSC/N5002				
Unit Title					
(Task)	Carry out reporting and documentation				
Description	This unit is about carrying out reporting and documentation				
Scope	This unit/task covers the following:				
	Departing of data /archiem /insidents ats				
	 Reporting of data/problem/incidents etc Documentation 				
	 Information Security 				
Performance Criteria	(PC) w.r.t. the Scope				
Element	Performance Criteria				
Reporting	To be competent, the user/individual on the job must be able to				
	PC1. Report data/problems/incidents as applicable in a timely manner				
	PC2. Report to the appropriate authority as laid down by the company				
D	PC3. Follow reporting procedures as prescribed by the company				
Documentation	PC4. Identify documentation to be completed relating to one's role				
	PC5. Record details accurately an appropriate format				
	PC6. Complete all documentation within stipulated time according to company				
	procedure PC7. Ensure that the final document meets with the requirements of the persons				
	who requested it or make any amendments accordingly				
	PC8. Make sure documents are available to all appropriate authorities to inspect				
Information	PC9. Respond to requests for information in an appropriate manner whilst				
Security	following organizational procedures				
,	PC10. Inform the appropriate authority of requests for information received				
Knowledge and Unde					
A.Organizational	To be competent, the user/individual on the job must be able to				
Context	To be competent, the user, manual on the job must be use to				
(Knowledge of	KA1. Importance of learning proper procedures and techniques				
the company /	KA2. Implications of not following the organizational requirement for approval for				
organization and	undertaking the specific task				
its processes)	KA3. Importance of completing the activities as per the schedule				
	KA4. Implications of not following the defined procedures/work instructions				
	KA5. Importance of team work				
	KA6. Health, Safety and Environment guidelines, legislation and regulations as applicable				
	KA7. Actions to be taken in case of non-conformity to behavioral standards of the organization				
	KA8. Impact of poor practices on the individual's and organization's performance				
	KA9. Importance of optimal utilization of resources				





National Occupational Standards



	Carry out reporting and documentation Transforming the skill landscape
	 KA10. Importance of providing feedback for improvement KA11. Importance of indigenous knowledge for evolving/adopting operation specific practices KA12. Rectification/solution of problems/conflicts for the smooth functioning of the organization KA13. Importance of documentation/reporting as per guidelines and procedures
	 KA14. Knowledge of do's and don'ts (company's HR instructions) KA15.Importance of attending trouble shooting KA16.Importance of subject learning/ training KA17.Importance of Product and its application
B. Technical knowledge	To be competent, the user/individual on the job must be able to
KIIOWIEUge	 KB1. Different methods of recording information KB2. Various documents that need to be maintained KB3. Company procedure for filling/maintaining up the documents KB4. Procedures for reporting to the appropriate authority KB5. Procedures for recording damage, breakages etc KB6. Reporting incidents where standard operating procedures are not followed KB7. The importance of complete and accurate documentation KB8. How to maintain complete documentation accurately and within agreed timescales KB9. The importance of ensuring that the documents are correct KB10. The actions to be taken if the documents are not correct KB11. The importance of maintaining the security and confidentiality of recorded information KB12. Procedures to maintain confidentiality of information KB13. The appropriate method for responding to requests for information KB14. The reporting procedures to followed before disclosing information to any outside party
Skills (S)	
A. Core Skills/ Generic Skills	Writing Skills To be competent, the user/individual on the job must be able to
	 SA1. Construct simple sentences and express ideas clearly through written communication SA2. Fill up appropriate technical forms, process charts, activity logs in required format of the company SA3. Write simple letters, mails, etc SA4. Perform functional mathematical operations, including apply basic mathematical principles, such as numbers and space, and techniques such as estimation and approximation, for practical purposes Reading Skills









	SA5. Read and understand manuals, health and safety instructions, memos,				
	reports, job cards etc				
	SA6. Read images, graphs, diagrams				
	SA7. Understand the various coding systems as per company norms				
	Oral Communication				
	SA8. Express statements, opinions or information clearly so that others can hear and understand				
	SA9. Respond appropriately to any queries				
	SA10. Communicate with supervisor				
	SA10. Communicate with upstream and downstream teams				
	SA12. Communicate with people in a form and manner and using language that is open and respectful				
	Life Skills				
	Integrity				
	SA13. Practice honesty with respect to company property and time				
	SA14. Resolve any difficulties in relationships with colleagues , or get help from an				
	appropriate person, in a way that preserves goodwill and trust				
	Motivation				
	SA15. Take responsibility for completing one's own work assignment				
	SA15. Take responsibility for completing one's own work assignment SA16. Take initiative to enhance/learn skills in ones's area of work				
	SA17. The capacity to learn from experience in a range of settings and scenarios and the capacity to reflect on and analyse one's learning.				
	SA18. Is open to new ways of doing things				
	SA19. The capacity to envisage and articulate personal goals; to develop strategies				
	and take action to achieve them.				
	Reliability				
	SA20. Avoid absenteeism				
	SA21. Act objectively, rather than impulsively or emotionally when faced with				
	difficult/stressful or emotional situations				
	SA22. Work in disciplined factory environment				
	SA23. Be punctual				
	Decision Making				
B. Professional	The user/individual on the job needs to know and understand how to:				
Skills	SB1. Take a decision for any change/issue based on earlier successes (documented				
	previous history) on similar issues				
	SB2. Work out changes in case a new improved machine/equipment is added in				
	the process or any new material /chemical is developed replacing existing				
	the process or any new material /chemical is developed replacing existing one.				
	the process or any new material /chemical is developed replacing existing one.SB3. Make changes in cycle time due to improved process.				
	the process or any new material /chemical is developed replacing existing one.				



NOS

National Occupational Standards



SB5.	management Consult the peer group and superiors to arrive at a favourable decision.
	Use of standard available problem solving techniques for decision making
	Review and analyze the process steps to check on system non adherence and non conformity
SB8.	Review the current SOP and other standards for continuous improvement to
SB9.	facilitate decision making Take a calculated risk with minimum losses
Plan a	nd Organize
SB11 SB12 SB13	 Plan and organize the factors of production to execute the business plan Fix up tasks and allotment of the same Assign tasks to suitable persons Motivate them for better output and time bound completion of tasks
SB14	. Match customer needs/specification by adjusting the processing conditions
SB15	(interact with customer in case any clarification required) . Ensure that performance of his action/operation/activity does not lead to any divergence from the specified quality of the final product as required by the customer.
	 Complete the assigned task in timely manner so that the final product is delivered in the timeline given by the customer. Communicate effectively to the superior/customer for any delay in supplies
	to the clients. . Work towards fulfilling the customers requirement as per their demand.
	. In case of any complaint, ensure its timely resolution if the problem is emanating at his level
	Communicate effectively to the superior/customer for any delay in resolving the problem faced by the customer.
	. Maintain good/cordial relation with customers. . Work on the feedback received from customer regarding the product.
	em Solving
	 Interpret quality for sheet Suggest improvements(if any) in process/product/materials based on results and experience
Analyt	tical Thinking
	. Proper collection of waste material . Identify defects in the material and communicate it at the earliest and
Critica	suggest improvements(if any) in process/material based on experience I Thinking
SB28	 Seek clarification on problems from others Apply problem-solving approaches in different situations Refer anomalies to the line manager







NOS Version Control

NOS Code	RSC/N5002		
Credits(NSQF)	TBD	Version number	1.0
Industry	Rubber Manufacturing	Drafted on	29/04/2016
Industry Sub-sector	Tyre and Non- tyre	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021







National Occupational Standard



Overview

This unit is about carrying out quality checks



NOS Netional Occupational Standards Carry out quality checks



National Occupational Standard

Unit Code	RSC/N5003				
Unit Title					
(Task)	Carry out quality checks				
Description	This unit is about carrying out quality control activities				
Scope	This unit/task covers the following:				
	Carrying out Inspection & quality checks to identify problems				
	Carrying out Inspection & quality checks to identify problems				
	 Analysis and take corrective actions Reporting the results 				
Performance Criteria (PC) w.r.t. the Scope				
Element	Performance Criteria				
Inspection	To be competent, the user/individual on the job must be able to				
	PC1. Ensure that total range of checks are regularly and consistently performed				
	PC2. Use appropriate measuring instruments, equipment, tools, accessories etc ,as				
Applysic	required PC3. Identify non-conformities to quality assurance standards				
Analysis	PC4. Identify potential causes of non-conformities to quality assurance standards				
	PC5. Identify impact on final product due to non-conformance to company standards				
	PC6. Evaluating the need for action to ensure that problems do not recur				
	PC7. Suggest corrective action to address problem				
	PC8. Review effectiveness of corrective action				
Reporting	PC9. Interpret the results of the quality check correctly				
	PC10. Take up results of the findings with QC in charge/appropriate authority.				
	PC11. Take up the results of the findings within stipulated time				
	PC12. Record of results of action taken				
	PC13. Record adjustments not covered by established procedures for future				
	reference				
	PC14. Review effectiveness of action taken				
	PC15. Follow reporting procedures where the cause of defect cannot be identified				
Knowledge and Under					
A. Organizational	To be competent, the user/individual on the job must be able to				
Context					
(Knowledge of the	KA1. Importance of learning proper procedures and techniquesKA2. Implications of not following the organizational requirement for approval for				
company / organization and	undertaking the specific task				
its processes)	KA3. Importance of completing the activities as per the schedule				
100 processes,	KA4. Implications of not following the defined procedures/work instructions				
	KA5. Importance of team work				
	KA6. Health, Safety and Environment guidelines, legislation and regulations as				
	applicable				
	KA7. Actions to be taken in case of non-conformity to behavioral standards of the				



NOS

National Occupational Standards Carry out quality checks



-	Transforming the skill landscape
	organization
	KA8. Impact of poor practices on the individual's and organization's performance
	KA9. Importance of optimal utilization of resources
	KA10. Importance of providing feedback for improvement
	KA11. Importance of indigenous knowledge for evolving/adopting operation specific
	practices
	KA12. Rectification/solution of problems/conflicts for the smooth functioning of the organization
	KA13. Importance of documentation/reporting as per guidelines and procedures
	KA14. Knowledge of do's and don'ts (company's HR instructions)
	KA15. Importance of attending trouble shooting
	KA16. Importance of subject learning/ training
	KA17. Importance of Product and its application
B. Technical	To be competent, the user/individual on the job must be able to
Knowledge	
	KB1. The importance of quality control procedures
	KB2. Relevance and importance of activities and how they contribute to the
	achievement of the quality objectives,
	KB3. Proper procedure for selecting the material/product and performing quality
	checks without affecting the material
	KB4. Availability of work instructions, as necessary,
	KB5. Characteristics of the product/material
	KB6. Use of suitable equipment
	KB7. Availability and use of monitoring and measuring devices,
	KB8. Requirements of records
	KB9. Importance of maintaining accurate up-to-date records
	KB10. The need to report within the stipulated time
	KB11. Implications of inaccurate measuring and testing instruments and equipment
	KB12. The cost of non-conformance to quality standards
	KB13. Implications (impact on internal/external customers) of defective products,
	materials or components
Skills (S)	
A. Core Skills/	Writing Skills
Generic Skills	To be competent, the user/individual on the job must be able to
	SA1. Construct simple sentences and express ideas clearly through written
	communication
	SA2. Fill up appropriate technical forms, process charts, activity logs in required
	format of the company
	SA3. Write simple letters, mails, etc
	SA4. Perform functional mathematical operations, including apply basic
	mathematical principles, such as numbers and space, and techniques such as
	estimation and approximation, for practical purposes
	estimation and approximation, for practical purposes







Carry out quality checks

	Carry out quanty checks	Transforming the skill landscape
	Reading Skills	
	SA5. Read and understand manuals, health and safe	ty instructions, memos, reports,
	job cards etc	
	SA6. Read images, graphs, diagrams	
	SA7. Understand the various coding systems as per	company norms
	Oral Communication	
	SA8. Express statements, opinions or information cle and understand	early so that others can hear
	SA9. Respond appropriately to any queries	
	SA10. Communicate with supervisor	
	SA11. Communicate with upstream and downstream	teams
	SA12. Communicate with people in a form and mann open and respectful	er and using language that is
	Life Skills	
	 Integrity SA13. Practice honesty with respect to company proportion of the second second	olleagues , or get help from an odwill and trust work assignment area of work ge of settings and scenarios and rning. al goals; to develop strategies
	SA23. Be punctual	
	Decision Making	
B. Professional Skills	The user/individual on the job needs to know and un	derstand how to:
	SB1. Take a decision for any change/issue based on previous history) on similar issues	earlier successes (documented
	SB2. Work out changes in case a new improved mac process or any new material /chemical is devel	
	SB3. Make changes in cycle time due to improved pr	rocess.
	SB4. Use the standard operating procedure or troub	le shooting manuals for trouble



NOS



National Occupational Standards Carry out quality checks

Transforming the skill landscape
shooting and other reference documents approved by plant management SB5. Consult the peer group and superiors to arrive at a favourable decision. SB6. Use of standard available problem solving techniques for decision making SB7. Review and analyze the process steps to check on system non adherence and
non conformity SB8. Review the current SOP and other standards for continuous improvement to facilitate decision making
SB9. Take a calculated risk with minimum losses
Plan and Organize
SB10. Plan and organize the factors of production to execute the business plan
SB11. Fix up tasks and allotment of the same
SB12. Assign tasks to suitable persons
SB13. Motivate them for better output and time bound completion of tasks
Customer Centricity
 SB14. Match customer needs/specification by adjusting the processing conditions (interact with customer in case any clarification required) SB15. Ensure that performance of his action/operation/activity does not lead to any divergence from the specified quality of the final product as required by the customer. SB16. Complete the assigned task in timely manner so that the final product is delivered in the timeline given by the customer. SB17. Communicate effectively to the superior/customer for any delay in supplies to the clients. SB18. Work towards fulfilling the customers requirement as per their demand. SB19. In case of any complaint, ensure its timely resolution if the problem is emanating at his level SB20. Communicate effectively to the superior/customer for any delay in resolving the problem faced by the customer. SB21. Maintain good/cordial relation with customers. SB22. Work on the feedback received from customer regarding the product.
SB23. Interpret quality for sheet
SB24. Suggest improvements(if any) in process/product/materials based on results and experience
Analytical Thinking
SB25. Proper collection of waste material SB26. Identify defects in the material and communicate it at the earliest and suggest improvements(if any) in process/material based on experience
Critical Thinking
SB27. Seek clarification on problems from others







Carry out quality checks

SB28. Apply problem-solving approaches in different situations
SB29. Refer anomalies to the line manager









NOS Version Control

NOS Code	RSC/N5003		
Credits(NSQF)	TBD	Version number	1.0
Industry	Rubber Manufacturing	Drafted on	29/04/2016
Industry Sub-sector	Tyre and Non- tyre	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021



Back to QP







National Occupational Standard



Overview

This unit is about problem identification and escalation







Unit Code	RSC/N5004
Unit Title (Task)	Carry out problem identification and escalation
Description	This unit is about problem identification and escalation
Scope	 This unit/task covers the following: Identify problems across: Raw materials Compounds Product Equipment Others J Identify solutions to problems and take necessary corrective action Escalation of unresolved identified problems
Performance Criteria	a (PC) w.r.t. the Scope
Element	Performance Criteria
Problem Identification	To be competent, the user/individual on the job must be able to PC1. Identify defects/indicators of problems PC2. Identify any wrong practices that may lead to problems PC3. Identify practices that may impact the final product quality PC4. Identify if the problem has occurred before PC5. Identify other operations that might be impacted by the problem PC6. Ensure that no delays are caused as a result of failure to escalate problems
Necessary Action	 PC7. Take appropriate materials and sample, conduct tests and evaluate results to establish reasons to confirm suspected reasons for non-conformance (where required) PC8. Consider possible reasons for identification of problems PC9. Consider applicable corrections and formulate corrective action PC10. Formulate action in a timely manner PC11. Communicate problem/remedial action to appropriate parties PC12. Take corrective action in a timely manner PC13. Take corrective action for problems identified according to the company

procedures

procedures

PC15. Monitor corrective action

has been resolved

PC20. Ensure that no delays are caused as a result of failure to take necessary action

PC14. Report/document problem and corrective action in an appropriate manner

PC17. Ensure that corrective action selected is viable and practical

PC18. Ensure that correct solution is identified to an identified problem

PC16. Evaluate implementation of corrective action taken to determine if the problem







Problem Escalation	DC21 Eccelate problem as per laid down escelation matrix			
Proplem Escalation	PC21. Escalate problem as per laid down escalation matrix			
	PC22. Escalate the problem within stipulated time			
	PC23. Escalate the problem in an appropriate manner			
	PC24. Ensure that no delays are caused as a result of failure to escalate problems			
Knowledge and Under	standing (K)			
A. Organizational	To be competent, the user/individual on the job must be able to			
Context				
(Knowledge of the	KA1. Importance of learning proper procedures and techniques			
company / organization and	KA2. Implications of not following the organizational requirement for approval for undertaking the specific task			
its processes)	KA3. Importance of completing the activities as per the schedule			
	KA4. Implications of not following the defined procedures/work instructions			
	KA5. Importance of team work			
	KA6. Health, Safety and Environment guidelines, legislation and regulations as			
	applicable			
	KA7. Actions to be taken in case of non-conformity to behavioral standards of the organization			
	KA8. Impact of poor practices on the individual's and organization's performance			
	KA9. Importance of optimal utilization of resources			
	KA10.Importance of providing feedback for improvement			
	KA11. Importance of indigenous knowledge for evolving/adopting operation specific practices			
	KA12. Rectification/solution of problems/conflicts for the smooth functioning of the organization			
	KA13. Importance of documentation/reporting as per guidelines and procedures			
	KA14. Knowledge of do's and don'ts (company's HR instructions)			
	KA15. Importance of attending trouble shooting			
	KA16.Importance of subject learning/ training			
D. Tashuisal	KA17. Importance of Product and its application			
B. Technical Knowledge	To be competent, the user/individual on the job must be able to			
	KB1. Indicators of problems			
	KB2. The working of the equipment and accessories(if applicable)			
	KB3. The impact of operations on the user and equipment(if applicable)			
	KB4. The impact of operations on the final product (if applicable)			
	KB5. The effect of not rectifying the problems identified			
	KB6. The reason for the occurrence of previous problems			
	KB7. Measures and steps that have been taken to address the previous problems			
	KB8. Possible solutions for various problems			
	KB9. The correct method for carrying out corrective actions outlined for each			
	problem			
	KB10. The impact of not carrying out the corrective actions			







	KB11. The documentation procedure for recording such problems, as per company
	norms
	KB12. The escalation matrix for reporting problems
	KB13. Escalation matrix for reporting unresolved problems
	KB14. The time frame within which in which each problem needs to be escalated
	KB15. Manner in which each problem needs to be escalated
Skills (S)	
A. Core Skills/	Writing Skills
Generic Skills To	o be competent, the user/individual on the job must be able to
	SA1. Construct simple sentences and express ideas clearly through written communication
	SA2. Fill up appropriate technical forms, process charts, activity logs in required format of the company
	SA3. Write simple letters, mails, etc
	SA4. Perform functional mathematical operations, including apply basic
	mathematical principles, such as numbers and space, and techniques such as
	estimation and approximation, for practical purposes
R	leading Skills
	-
	SA5. Read and understand manuals, health and safety instructions, memos, reports,
	job cards etc
	SA6. Read images, graphs, diagrams
	SA7. Understand the various coding systems as per company norms
0	Dral Communication
	SA8. Express statements, opinions or information clearly so that others can hear and understand
22	SA9. Respond appropriately to any queries
	SA10. Communicate with supervisor
	SA11. Communicate with upstream and downstream teams
	SA12. Communicate with people in a form and manner and using language that is
	open and respectful
Li	ife Skills
	Integrity
	SA13. Practice honesty with respect to company property and time
	SA14. Resolve any difficulties in relationships with colleagues , or get help from an
	appropriate person, in a way that preserves goodwill and trust
	Motivation
	SA15. Take responsibility for completing one's own work assignment
	SATS. Take responsibility for completing one's own work assignment
	SA15. Take responsibility for completing one's own work assignment SA16. Take initiative to enhance/learn skills in ones's area of work







the capacity to reflect on and analyse one's learning. SA18. Is open to new ways of doing things SA19. The capacity to envisage and articulate personal goals; to develop strategies and take action to achieve them. Reliability	
SA19. The capacity to envisage and articulate personal goals; to develop strategies and take action to achieve them.	
and take action to achieve them.	
Reliability	
SA20. Avoid absenteeism	
SA21. Act objectively , rather than impulsively or emotionally when faced with	
difficult/stressful or emotional situations	
SA22. Work in disciplined factory environment	
SA23. Be punctual	
Decision Making	
B. Professional Skills The user/individual on the job needs to know and understand how to:	
SB1. Take a decision for any change/issue based on earlier successes (documente	d
previous history) on similar issues	
SB2. Work out changes in case a new improved machine/equipment is added in t	าย
process or any new material /chemical is developed replacing existing one.	
SB3. Make changes in cycle time due to improved process.	
SB4. Use the standard operating procedure or trouble shooting manuals for troub	le
shooting and other reference documents approved by plant management	
SB5. Consult the peer group and superiors to arrive at a favourable decision.	
SB6. Use of standard available problem solving techniques for decision making	
SB7. Review and analyze the process steps to check on system non adherence and non conformity	ł
SB8. Review the current SOP and other standards for continuous improvement to	
facilitate decision making	
SB9. Take a calculated risk with minimum losses	
Plan and Organize	
SB10. Plan and organize the factors of production to execute the business plan	
SB11. Fix up tasks and allotment of the same SB12. Assign tasks to suitable persons	
SB12. Assign tasks to suitable persons SB13. Motivate them for better output and time bound completion of tasks	
Customer Centricity	
SB14. Match customer needs/specification by adjusting the processing conditions	
(interact with customer in case any clarification required)	
SB15. Ensure that performance of his action/operation/activity does not lead to an divergence from the specified quality of the final product as required by the	•
divergence from the specified quality of the final product as required by the customer.	
SB16. Complete the assigned task in timely manner so that the final product is	
delivered in the timeline given by the customer.	
SB17. Communicate effectively to the superior/customer for any delay in supplies	to







the clients.
SB18. Work towards fulfilling the customers requirement as per their demand.
SB19. In case of any complaint, ensure its timely resolution if the problem is emanating at his level
SB20. Communicate effectively to the superior/customer for any delay in resolving the problem faced by the customer.
SB21. Maintain good/cordial relation with customers.
SB22. Work on the feedback received from customer regarding the product.
Problem Solving
SB23. Interpret quality for sheet
SB24. Suggest improvements(if any) in process/product/materials based on results
and experience
Analytical Thinking
SB25. Proper collection of waste material
SB26. Identify defects in the material and communicate it at the earliest and suggest
improvements(if any) in process/material based on experience
Critical Thinking
SB27. Seek clarification on problems from others
SB28. Apply problem-solving approaches in different situations
SB29. Refer anomalies to the line manager







NOS Version Control

NOS Code	RSC/N5004		
Credits(NSQF)	TBD	Version number	1.0
Industry	Rubber Manufacturing	Drafted on	29/04/2016
Industry Sub-sector	Tyre and Non Tyre	Last reviewed on	17/05/2017
Occupation	Moulding/Curing	Next review date	17/05/2021








<u>Annexure</u>

Nomenclature for QP and NOS



Back to top...





The following acronyms/codes have been used in the nomenclature above:

Sub-sector	Range of Occupation numbers
Latex	02-34
Non-tyre	12-12
Rubber Manufacturing	28-28
Туге	02-36
Tyre & Non -Tyre	01-37

Sequence	Description	Example
Three letters	Industry name	[RSC]
Slash	/	/
Next letter	Whether Q P or NOS	N
Next two numbers	Occupation code	02
Next two numbers	OS number	01





Criteria For Assessment Of Trainees

<u>Job Role:</u> Pneumatic Tyre Moulding Operator <u>Qualification Pack Code:</u> RSC/Q0211 <u>Sector Skill Council:</u> Rubber Skill Development Council

Guidelines for Assessment

1. Criteria for assessment for each Qualification Pack will be created by the Sector Skill Council. Each Performance Criteria (PC) will be assigned marks proportional to its importance in NOS. SSC will also lay down proportion of marks for Theory and Skills Practical for each PC.

2. The assessment for the theory part will be based on knowledge bank of questions created by the SSC.

3. Assessment will be conducted for all compulsory NOS, and where applicable, on the selected elective/option NOS/set of NOS.

4. Individual assessment agencies will create unique question papers for theory part for each candidate at each examination/training center (as per assessment criteria below).

5. Individual assessment agencies will create unique evaluations for skill practical for every student at each examination/training center based on this criterion.

6. To pass the Qualification Pack , every trainee should score a minimum of 70% of aggregate marks to successfully clear the assessment.

7. In case of unsuccessful completion, the trainee may seek reassessment on the Qualification Pack.

Compulsory NOS Total Marks: 800				Marks Allocation	
Assessment outcomes	Assessment Criteria for outcomes	Total Mark s	Out Of	Theory	Skills Practical
	PC1. Ensure that press is clean		3	0	3
	PC2. Blow air to remove any condensate and foreign matter in the mould cavity	100	7	6	1
	PC3. Ensure that the correct mould is loaded		3	0	3
RSC/N1101	PC4. Set parameters for the Bag-O-Matic /airbag type Presses (press timer, steam pressure and cure cycle steps), as per job card		7	6	1
Prepare	PC5. Apply mould release agent appropriately		7	6	1
pneumatic tyre moulding	PC6. Warm up the press		3	0	3
machine	PC7. Follow equipment preparation process as per company requirements		7	6	1
	PC8. Ensure that no delays are caused as a result of improper preparation and failure to identify problems		2	0	2
	PC9. Ensure the mainline gauges and pressures are as per specification		2	0	2
	PC10. Ensure the calibration status of all measuring equipment and instruments and fit to use per quality standards followed		2	0	2





				Transform	ing the skill lands
	by the plant				
	PC11. Collect all green tyres required for the batch		6	5	1
	PC12. Ensure painting of green tyre paintings at inner and outer (if any) has been done properly with no puddles .		4	0	4
	PC13. Match the batch code of each green tyre with the batch code on the job schedule given by the planning department	-	7	6	1
	PC14. Ensure that each material is in the correct quantity		3	0	3
	PC15. Ensure, by visual inspection, that green tyre is of desired quality (free of contamination etc.)		3	0	3
	PC16. Ensure that no delays are caused as a result of improper preparation and failure to identify problems	_	7	5	2
	PC17. Ensure housekeeping in moulding area		7	5	2
	PC18. Use hand gloves while working on the moulding press to avoid contact with hot moulds		7	5	2
	PC19. Ensure that he does not put his hand inside the press while the press is closing		3	0	3
	PC20. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)		5	5	0
	PC21. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP		5	5	0
	Total	100	100	60	40
	PC1. Ensure, by visual inspection, that green tyre is of desired quality (free of contamination, uniformly painted with inside and outside paints and localized in the area where the painting is required etc.)		8	6	2
	PC2. Ensure that batch size of green tyre is as per specified quantity	-	8	6	2
	PC3. Plan batch sequence in shifts based on raw material availability/rejection to maximize output		3	1	2
	PC4. Check the green tyre – size, ply rating (PR), inner / outer painting etc		3	1	2
RSC/N1102 Perform	PC5. Apply mould release agent , as required		5	2	3
pneumatic tyre moulding	PC6. Load the "green" tyre in the mould with Center Post in position (in case of BOM Press)	100	5	2	3
operation	PC7. Place Serial No., PR strip (if any) in the mould cavity at particular location as the case may be		3	1	2
	PC8. Switch-on the press for cycle operation and ensure that press starts closing correctly		3	1	2
	PC9. Ensure that bladder starts blowing simultaneously while press is closing ,thus pressing the tyre on the mould wall (in case of BOM Press)		3	1	2
	PC10. Ensure that cure cycle has correct low, high , hot water and cold water pressure (LPS, HPS, HW & CW)		4	1	3
	PC11. Drain steam followed by hot water, hold and then cold water (in case of BOM Press/Nylon Carcass).		5	2	3
	PC12. In the case of air bag tupe curing the positioning of tyre		6	2	4
L					





PC13. Ensure that material wastage is within tolerance limits202PC14. Ensure that no rework or rejection is generated.PC15. Match the quality of output to company's product requirements312PC15. Match the quality of output to company's product requirements31202PC16. Meet production quantity targets set for the operation PC19. Handle the hot tyre coming out of the press appropriately31202PC20. Ensure that he does not put his hand inside the press while the press is closing64202PC21. Use hand gloves while working on the moulding press PC22. Adhere to all other safety norms (like wearing shoes, regulations etc in accordance with organizational SOP Total1001005050PC21. Follow work instructions as laid down by the company PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of 11 the press PC3. Roll the tyre and put on PC1 Unit, apply air pressure and cool it for specified time pressure312PC4. Remove tyre from PC1 ings after required PC7. PC6. Trim the vents and flashes of the tyre if required532PC3. Carry out disposal of waste material as per waste disposal procedures laid down by the company PC10. Form batch size as per company specifications532PC12. Carry out batch marking for the tyres removed out the PC10. Form batch size as per company specifications532PC13. Send sample in specified quantity to lab for testing, if warranted532 <t< th=""><th></th><th>is a must to ensure the correct location of airbag valve to facilitate the joining of steam line for filling steam inside airbag</th><th></th><th></th><th></th><th>ing the skin land</th></t<>		is a must to ensure the correct location of airbag valve to facilitate the joining of steam line for filling steam inside airbag				ing the skin land
PC15. Match the quality of output to company's product requirements312PC16. Meet production quantity targets set for the operation312PC17. Follow work instructions as laid down by the company642PC18. Avoid skin contact with hot tyres and moulds642PC19. Handle the hot tyre coming out of the press appropriately734PC21. Use hand gloves while working on the moulding press732PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)3030PC23. Comply with health, safety, environment guidelines, regulations et in accordance with organizational SOP312PC1. Follow work instructions as laid down by the company1005050PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press person pop calcined inte pressure and cool it for specified time pressure312PC3. Roll the tyre and put on PC1 Unit, apply air pressure and cool it for specified time pressure312PC4. Remove tyre from PC1 rigs after required PC6. Trim the vents and flashes of the tyre if required PC3. Carry out blobs and for any visual defect532PC3. Carry out batch material as per waste disposal procultures laid down by the company532PC3. Carry out batch marking for the tyres removed out the PC1. Form batch size as per company specifications633PC1. Carry out batch marking as per instructions lai		PC13. Ensure that material wastage is within tolerance limits	-	2	0	2
PC15. Match the quality of output to company's product requirementsPC16. Meet production quantity targets set for the operation PC17. Follow work instructions as laid down by the company PC18. Avoid skin contact with hot tyres and moulds312PC19. Handle the hot tyre coming out of the press appropriately PC20. Ensure that he does not put his hand inside the press while the press is closing PC21. Use hand gloves while working on the moulding press gloves, safety goggles etc)642PC22. Comply with health, safety, environment guidelines, regulations et in accordance with organizational SOP330PC23. Comply with health, safety, environment guidelines, gloves, safety goggles etc)1005050PC24. Comply with health, safety, environment guidelines, regulations et in accordance with organizational SOP1005050PC1. Follow work instructions as laid down by the company7312PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press persom poly312PC4. Remove thre from PC1 rings after required PC5. Inspect tyre from PC1 rings after required PC6. Trim the vents and flashes of the tyre if required PC6. Trim the vents and flashes of the tyre is roscal and god condition532PC3. Carry out black material as per waste disposal procedures laid down by the company PC10. Form batch size as per company specifications532PC3. Carry out batch marking for the tyres removed out the PC10. Form batch size as per company specifications633		PC14. Ensure that no rework or rejection is generated.		2	0	2
PC16. Meet production quantity targets set for the operation PC17. Follow work instructions as laid down by the company312PC18. Avoid skin contact with hot tyres and moulds642PC19. Handle the hot tyre coming out of the press appropriately642PC20. Ensure that he does not put his hand inside the press while the press is closing734PC21. Use hand gloves while working on the moulding press732PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)10010050PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP330PC1. Follow work instructions as laid down by the company312PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PC1 Unit, apply air pressure and coolit for specified time pressure312PC4. Remove tyre from PC1 rings after required PC1 time is over PC5. Inspect tyre for any visual defect523PC5. Subpose off waste material as per waste disposal procedures laid down by the company532PC5. Carry out disposal of waste material safely PC1. Form batch size as per company specifications532PC4. Send sample of specified product to lab for testing, if warranted532PC5. Sand sample in specified quantity to lab for testing, PC1. Send sample in the specified form t			_		1	2
PC18. Avoid skin contact with hot tyres and mouldsPC19. Handle the hot tyre coming out of the press appropriately642PC20. Ensure that he does not put his hand inside the press while the press is closing642PC21. Use hand gloves while working on the moulding press plotes, safety gogies etc.)734PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP330Total1005050PC1. Follow work instructions as laid down by the company1001005050PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PC1 Unit, apply air pressure and cool it for specified time pressure52312PC4. Remove the tyre from PC1 rings after required PC1 time is over PC5. Inspect tyre for any visual defect5322PC3. Carry out disposal of waste material as per waste disposal procedures laid down by the company PC3. Carry out disposal of waste material safely PC10. Form batch size as per company specifications532S330PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC14. Send sample in specified product to lab for testing, if warranted532S32532S3253 <td< td=""><td></td><td>-</td><td>-</td><td>3</td><td>1</td><td>2</td></td<>		-	-	3	1	2
b42PC19. Handle the hot tyre coming out of the press appropriatelyPC19. Faure that he does not put his hand inside the press while the press is closing PC21. Use hand gloves while working on the moulding press PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles et c)642PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP532PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP1001005050PC1. Follow work instructions as laid down by the company9101005050PC2. Remove the tyre and put on PCU unit, apply air pressure and cool it for specified time pressure312PC4. Remove tyre from PCI rings after required PC1 time is over PC5. Inspect tyre for any visual defect532PC5. Remove the equipment to the next operator in clean and good condition2532PC5. Corriv out disposal of waste material as per waste disposal procedures laid down by the company532PC10. Form batch size as per company specifications532PC11. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc). PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified quantity to lab for testing, PC15. Send sample in the specified form to lab for testing, Formate in accordian down by the company in the stresting5<		PC17. Follow work instructions as laid down by the company		3	1	2
appropriatelyb42PC20. Ensure that he does not put his hand inside the press while the press is closing PC21. Use hand gloves while working on the moulding press734PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)732PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP330Total1001005050PC1. Follow work instructions as laid down by the company312PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PCI Unit, apply air pressure and cool it for specified time pressure5233PC4. Remove tyre from PCI rings after required PCI time is over PC5. Inspect tyre for any visual defect532PC5. Remove tyre for any visual defect5322PC6. Trim the vents and flashes of the tyre if required532PC7. Handover the equipment to the next operator in clean and good condition6332PC10. Form batch size as per company the company (in terms of weight, colour etc).532PC11. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC12. Send sample in specified quantity to lab for testing, if warranted532PC13. Send sample in the specified form to lab fo		PC18. Avoid skin contact with hot tyres and moulds	-	6	4	2
while the press is closing734PC21. Use hand gloves while working on the moulding pressPC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)532PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP330Total1005050PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC2. Remove the tyre annually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PC1 unit, apply air pressure and cool it for specified time pressure523PC4. Remove tyre from PC1 rings after required PC1 time is over532PC5. Trim the vents and flashes of the tyre if required532PC7. Handover the equipment to the next operator in clean and good condition422PC3. Carry out disposal of waste material as per waste disposal procedures laid down by the company PC9. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).532PC11. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC12. Send sample in specified product to lab for testing, if warranted532PC14. Send sample in the specified form to lab for testing532S325 <td< td=""><td></td><td>· · · · · · · · · · · · · · · · · · ·</td><td>-</td><td>6</td><td>4</td><td>2</td></td<>		· · · · · · · · · · · · · · · · · · ·	-	6	4	2
PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)440PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP330Total1001005050PC1. Follow work instructions as laid down by the company312PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PCI Unit, apply air pressure and cool it for specified time pressure52312PC4. Remove tyre from PCI rings after required PC1 time is over PC4. Remove thre equipment to the next operator in clean and good condition122312PC7. Handover the equipment to the next operator in clean and good condition9532232PC10. Form batch size as per company procedures laid down by the company PC9. Carry out disposal of waste material safely PC11. Carry out batch marking so per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample in specified product to lab for testing warranted5322PC14. Send sample in specified quantity to lab for testing PC15. Send sample in the specified form to lab for testing532S32532PC14. Send sample in the specified form to lab for testing532PC15. Send sample in the specified form to lab			-	7	3	4
gloves, safety goggles etc)440PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP330Total1001005050PC1. Follow work instructions as laid down by the company1001005050PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PCI Unit, apply air pressure and cool it for specified time pressure52312PC4. Remove tyre from PCI rings after required PC1 time is over PC5. Inspect tyre for any visual defect5312PC5. Trim the vents and flashes of the tyre if required532312PC7. Handover the equipment to the next operator in clean and good conditionPC3. Dispose off waste material as per waste disposal procedures laid down by the company PC9. Carry out disposal of waste material safely532PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PC1 unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).532PC13. Send sample in specified product to lab for testing, if warranted532PC14. Send sample in the specified form to lab for testing532PC15. Send sample in the specified form to lab for testing5<		PC21. Use hand gloves while working on the moulding press		5	3	2
regulations etc in accordance with organizational SOP330Total1001005050PC1. Follow work instructions as laid down by the company312PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PCI Unit, apply air pressure and cool it for specified time pressure52312PC4. Remove tyre from PCI rings after required PCI time is over PC6. Trim the vents and flashes of the tyre if required532PC5. Inspect tyre for any visual defect532312PC6. Trim the vents and flashes of the tyre if required532312PC7. Handover the equipment to the next operator in clean and good condition91001005532PC10. Form batch precedures laid down by the company PC9. Carry out disposal of waste material safely1001005532PC11. Carry out batch marking for the tyres removed out the PC10 unitPC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).532PC13. Send sample in specified quantity to lab for testing5322Stand as apple in the specified form to lab for testing532PC13. Send sample in the specified form to lab for testing532Stand as apple in the specified form to lab for testing53 <td></td> <td></td> <td></td> <td>4</td> <td>4</td> <td>0</td>				4	4	0
PC1. Follow work instructions as laid down by the companyInternet of the pressPC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PC1 Unit, apply air pressure and cool it for specified time pressure523PC4. Remove tyre from PC1 rings after required PC1 time is over52312PC5. Inspect tyre for any visual defectPC6. Trim the vents and flashes of the tyre if required5312PC6. Trim the vents and flashes of the tyre if requiredPC7. Handover the equipment to the next operator in clean and good condition312PC6. Dispose off waste material as per waste disposal procedures laid down by the company532PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PC1 unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).532PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in the specified form to lab for testing532S32532				3	3	0
RSC/N1103 Perform post- pneumatic tyries312PC2. Remove the tyre manually, if on completion of cure cycle, the tyre does not pop up automatically out of the press312PC3. Roll the tyre and put on PCI Unit, apply air pressure and cool it for specified time pressure523PC4. Remove tyre from PCI rings after required PCI time is over523PC5. Inspect tyre for any visual defect2312PC6. Trim the vents and flashes of the tyre if required532PC7. Handover the equipment to the next operator in clean and good condition422PC8. Dispose off waste material as per waste disposal procedures laid down by the company532PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PCI unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).532PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified form to lab for testing532PC15. Send sample in the specified form to lab for testing532		Total	100	100	50	50
RSC/N1103 Perform post- pneumatic tyre moulding operation activities12RSC/N1103 Perform post- pneumatic tyre moulding operation activitiesPC3. Roll the tyre and put on PCI Unit, apply air pressure and cool it for specified time pressure PC4. Remove tyre from PCI rings after required PCI time is over PC5. Inspect tyre for any visual defect523PC6. Trim the vents and flashes of the tyre if required PC7. Handover the equipment to the next operator in clean and good condition PC8. Dispose off waste material as per waste disposal procedures laid down by the company PC9. Carry out disposal of waste material safely PC10. Form batch size as per company specifications100422532PC11. Carry out batch marking for the tyres removed out the PC1 unit PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).532PC14. Send sample of specified product to lab for testing, warranted532PC15. Send sample in the specified form to lab for testing532S32532S32532		PC1. Follow work instructions as laid down by the company		3	1	2
RSC/N1103 Perform post- pneumatic tyre moulding operation activitiesCool it for specified time pressure PC4. Remove tyre from PCI rings after required PCI time is over PC5. Inspect tyre for any visual defect523PC5. Inspect tyre for any visual defectPC6. Trim the vents and flashes of the tyre if required312PC6. Trim the vents and flashes of the tyre if required532PC7. Handover the equipment to the next operator in clean and good conditionPC8. Dispose off waste material as per waste disposal procedures laid down by the company100422PC9. Carry out disposal of waste material safely532PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PC1 unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).532PC14. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in the specified form to lab for testing532S32532				3	1	2
RSC/N1103 Perform post- pneumatic tyre moulding operation activitiesPC5. Inspect tyre for any visual defect PC6. Trim the vents and flashes of the tyre if required PC7. Handover the equipment to the next operator in clean and good condition312Perform post- pneumatic tyre moulding operation activitiesPC5. Dispose off waste material as per waste disposal procedures laid down by the company PC9. Carry out disposal of waste material safely100422PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PCI unit532PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, warranted532PC14. Send sample in specified quantity to lab for testing532PC15. Send sample in the specified form to lab for testing532				5	2	3
RSC/N1103 Perform post- pneumatic tyre moulding operation activitiesPC6. Trim the vents and flashes of the tyre if required PC7. Handover the equipment to the next operator in clean and good condition532Perform post- pneumatic tyre moulding operation activitiesPC8. Dispose off waste material as per waste disposal procedures laid down by the company PC9. Carry out disposal of waste material safely PC10. Form batch size as per company specifications100532PC10. Form batch size as per company specifications532532PC11. Carry out batch marking for the tyres removed out the PCI unitPC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified form to lab for testing532PC15. Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532 <tr< td=""><td></td><td>PC4. Remove tyre from PCI rings after required PCI time is over</td><td></td><td>5</td><td>2</td><td>3</td></tr<>		PC4. Remove tyre from PCI rings after required PCI time is over		5	2	3
RSC/N1103 Perform post- pneumatic tyre moulding operation activitiesPC7. Handover the equipment to the next operator in clean and good condition PC8. Dispose off waste material as per waste disposal procedures laid down by the company PC9. Carry out disposal of waste material safely PC10. Form batch size as per company specifications1004225325325329C10. Form batch size as per company specifications5329C11. Carry out batch marking for the tyres removed out the PC1 unit6339C12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).6339C13. Send sample of specified product to lab for testing PC14. Send sample in specified quantity to lab for testing5329C14. Send sample in the specified form to lab for testing5329C15. Send sample in the specified form to lab for testing532		PC5. Inspect tyre for any visual defect	-	3	1	2
RSC/N1103 Perform post- pneumatic tyre moulding operation activitiesand good condition422PC8. Dispose off waste material as per waste disposal procedures laid down by the company PC9. Carry out disposal of waste material safely PC10. Form batch size as per company specifications532PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PCI unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified form to lab for testing532PC15. Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532		PC6. Trim the vents and flashes of the tyre if required		5	3	2
Perform post- pneumatic tyre moulding operation activitiesPC8. Dispose off waste material as per waste disposal procedures laid down by the company PC9. Carry out disposal of waste material safely100532PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PCI unit532PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in the specified form to lab for testing532PC15. Send sample in the specified form to lab for testing532	RSC/N1103	and good		4	2	2
operation activitiesPC9. Carry out disposal of waste material safely532PC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PCI unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified quantity to lab for testing532PC15. Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532	pneumatic tyre	PC8. Dispose off waste material as per waste disposal	100	5	3	2
activitiesPC10. Form batch size as per company specifications532PC11. Carry out batch marking for the tyres removed out the PCI unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified quantity to lab for testing532PC15. Send sample in the specified form to lab for testing532Send sample in the specified form to lab for testing532	-	PC9. Carry out disposal of waste material safely		5	3	2
PCI unit633PC12. Carry out batch marking as per instructions laid down by the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified quantity to lab for testing532PC15. Send sample in the specified form to lab for testing532	-	PC10. Form batch size as per company specifications		5	3	2
the company (in terms of weight, colour etc).633PC13. Send sample of specified product to lab for testing, if warranted532PC14. Send sample in specified quantity to lab for testing532PC15. Send sample in the specified form to lab for testing532				6	3	3
warranted532PC14. Send sample in specified quantity to lab for testing532PC15. Send sample in the specified form to lab for testing532				6	3	3
PC15. Send sample in the specified form to lab for testing532				5	3	2
PC15. Send sample in the specified form to lab for testing532		PC14. Send sample in specified quantity to lab for testing	1	5	3	2
			-			
		PC16. Send the remaining material to the designated storage	1	5	3	2





				Transform	nin
	area				
	PC17. Ensure housekeeping in moulding area		2	0	
	PC18. Avoid skin contact with hot tyres and other moulds		4	2	
	PC19. Handle the hot tyre coming out of the press appropriately		3	1	Ì
	PC20. Use hand gloves while working on the moulding press		4	2	T
	PC21. Ensure that he does not put his hand inside the press while the press is closing		4	2	
	PC22. Adhere to all other safety norms (like wearing shoes, gloves, safety goggles etc)		4	2	
	PC23. Comply with health, safety, environment guidelines, regulations etc in accordance with organizational SOP		4	2	
	Total	100	100	50	
	PC1. Inspect the area while taking into account various surfaces		3	3	
	PC2. Identify the material requirements for cleaning the areas inspected, by considering risk, time, efficiency and type of stain		3	3	
	PC3. Ensure that the cleaning equipment is in proper working condition		3	3	
	PC4. Select the suitable alternatives for cleaning the areas in case the appropriate equipment and materials are not available and inform the appropriate person		3	3	
	PC5. Plan the sequence for cleaning the area to avoid re-soiling clean areas and surfaces		3	3	
	PC6. Inform the affected people about the cleaning activity		2	2	T
	PC7. Display the appropriate signage for the work being conducted	100	3	3	
RSC/N5001	PC8. Ensure that there is adequate ventilation for the work being carried out		3	3	
Carry out housekeeping in	PC9. Wear the personal protective equipment required for the cleaning method and materials being used		3	3	
rubber product manufacturing	PC10. Use the correct cleaning method for the work area, type of soiling and surface		3	3	
	PC11. Carry out cleaning activity without disturbing others		3	3	
	PC12. Deal with accidental damage, if any, caused while carrying out the work		3	3	
	PC13. Report to the appropriate person any difficulties in carrying out your work		3	3	
	PC14. Identify and report to the appropriate person any additional cleaning required that is outside one's responsibility or skill		3	3	
	PC15. Ensure that there is no oily substance on the floor to avoid slippage		9	3	T
	PC16. Ensure that no scrap material is lying around		9	3	Τ
	PC17. Maintain and store housekeeping equipment and supplies		3	3	
	PC18. Follow workplace procedures to deal with any accidental damage caused during the cleaning process		3	3	





				Transform	ing the skill land
	PC19. Ensure that, on completion of the work, the area is left clean and dry and meets requirements		8	2	6
	PC20. Return the equipment, materials and personal protective equipment that were used to the right places making sure they are clean, safe and securely stored		3	3	0
	PC21. Dispose the waste garnered from the activity in an appropriate manner		9	3	6
	PC22. Dispose of used and un-used solutions according to manufacturer's instructions, and clean the equipment thoroughly		9	3	6
	PC23. Maintain schedules and records for housekeeping duty	-	3	3	0
	PC24. Replenish any necessary supplies or consumables	-	3	3	0
	Total	100	100	70	30
	PC1. Report data/problems/incidents as applicable in a timely manner		12	8	4
	PC2. Report to the appropriate authority as laid down by the company		12	8	4
	PC3. Follow reporting procedures as prescribed by the company	_	12	8	4
	PC4. Identify documentation to be completed relating to one's role	_	10	6	4
RSC/N5002	PC5. Record details accurately an appropriate format	100	16	6	10
Carry Out Reporting And Documentation	PC6. Complete all documentation within stipulated time according to company procedure		14	4	10
Documentation	PC7. Ensure that the final document meets with the requirements of the persons who requested it or make any amendments accordingly		6	4	2
	PC8. Make sure documents are available to all appropriate authorities to inspect	-	6	4	2
	PC9. Respond to requests for information in an appropriate manner whilst following organizational procedures	_	6	6	0
	PC10. Inform the appropriate authority of requests for information received		6	6	0
	Total	100	100	60	40
	PC1. Ensure that total range of checks are regularly and consistently performed		24	10	14
	PC2. Use appropriate measuring instruments, equipment, tools, accessories etc ,as required		24	10	14
	PC3. Identify non-conformities to quality assurance standards	_	6	4	2
RSC/N5003 Carry Out	PC4. Identify potential causes of non-conformities to quality assurance standards	_	5	3	2
Quality Checks	PC5. Identify impact on final product due to non-conformance to company standards	100	5	3	2
	PC6. Evaluating the need for action to ensure that problems do not recur	_	6	4	2
	PC7. Suggest corrective action to address problem		5	3	2
	PC8. Review effectiveness of corrective action		5	3	2
	PC9. Interpret the results of the quality check correctly		4	4	0





Transforming the skill landscape

	PC10. Take up results of the findings with QC in		3	3	0
	charge/appropriate authority. PC11. Take up the results of the findings within stipulated time]	3	3	0
	PC12. Record of results of action taken	-	3	3	0
	PC13. Record adjustments not covered by established	_			_
	procedures for future reference		3	3	0
	PC14. Review effectiveness of action taken	1	2	2	0
	PC15. Follow reporting procedures where the cause of defect cannot be identified	-	2	2	0
	Total	100	100	60	40
	PC1. Identify defects/indicators of problems		7	4	3
	PC2. Identify any wrong practices that may lead to problems	-	6	3	3
	PC3. Identify practices that may impact the final product	-			
	quality		6	3	3
	PC4. Identify if the problem has occurred before		5	3	2
	PC5. Identify other operations that might be impacted by the problem	-	6	4	2
	PC6. Ensure that no delays are caused as a result of failure to escalate problems	-	5	3	2
	PC7. Take appropriate materials and sample, conduct tests and evaluate results to establish reasons to confirm suspected reasons for non-conformance (where required)		8	5	3
	PC8. Consider possible reasons for identification of problems	100	8	5	3
	PC9. Consider applicable corrections and formulate corrective action	-	3	3	0
	PC10. Formulate action in a timely manner		3	3	0
RSC/N5004	PC11. Communicate problem/remedial action to appropriate		7	5	2
Carry Out Problem	parties PC12. Take corrective action in a timely manner		2	2	0
Identification	PC13. Take corrective action for problems identified according		2	2	0
And Escalation	to the company procedures	_	2	2	0
	PC14. Report/document problem and corrective action in an appropriate manner		8	5	3
	PC15. Monitor corrective action		2	2	0
	PC16. Evaluate implementation of corrective action taken to determine if the problem has been resolved		2	2	0
	PC17. Ensure that corrective action selected is viable and practical		2	2	0
	PC18. Ensure that correct solution is identified to an identified problem	-	2	2	0
	PC19. Take corrective action for problems identified according to the company procedures		1	1	0
	PC20. Ensure that no delays are caused as a result of failure to take necessary action		1	1	0
	PC21. Escalate problem as per laid down escalation matrix		4	3	1
	PC22. Escalate the problem within stipulated time	-	4	3	1
		1			





PC24. Ensure that no delays are caused as a result of failure to escalate problems		3	2	1
Total	100	100	70	30